

Basinwide Summary: March 1, 2026
 (Medians based On 1991-2020 reference period)

| |
|--|
| Reservoir Storage Summary For the End of February 2026 |
|--|

| St. Mary | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
|---------------------------------|---------------|-----------------|--------------|----------------|--------------------|----------------------|-------------------|------------------|--------------------|
| Lake Sherburne | 49.8 | 35.7 | 30.1 | 64.3 | 77% | 55% | 47% | 165% | 119% |
| Basin Index | | | | | 77% | 55% | 47% | 165% | 119% |
| # of reservoirs | | | | | 1 | 1 | 1 | 1 | 1 |
| Jefferson | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Ruby River Reservoir | | 28.4 | 28.3 | 38.8 | | 73% | 73% | | 100% |
| Clark Canyon Res | 101.5 | 138.1 | 119.7 | 255.6 | 40% | 54% | 47% | 85% | 115% |
| Lima Reservoir | 35.9 | 43.3 | 39.2 | 84.0 | 43% | 52% | 47% | 92% | 110% |
| Willow Creek Res (Harrison) | | 12.2 | 14.0 | | | | | | 87% |
| Basin Index | | | | | 40% | 55% | 49% | 86% | 110% |
| # of reservoirs | | | | | 2 | 3 | 3 | 2 | 4 |
| Madison | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Hebgen Lake | 306.3 | 301.9 | 285.2 | 378.8 | 81% | 80% | 75% | 107% | 106% |
| Ennis Lake | 30.7 | 30.7 | 29.1 | 41.0 | 75% | 75% | 71% | 105% | 105% |
| Basin Index | | | | | 80% | 79% | 75% | 107% | 106% |
| # of reservoirs | | | | | 2 | 2 | 2 | 2 | 2 |
| Gallatin | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Middle Creek Res | | 5.4 | 6.0 | 10.2 | | 53% | 59% | | 89% |
| Basin Index | | | | | | 53% | 59% | | 89% |
| # of reservoirs | | | | | 0 | 1 | 1 | 0 | 1 |
| Upper Missouri | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Lake Helena | 9.9 | 9.9 | 10.9 | 12.7 | 78% | 78% | 86% | 90% | 91% |
| Helena Valley Reservoir | 6.6 | 5.7 | 5.0 | 9.2 | 72% | 62% | 54% | 133% | 113% |
| Canyon Ferry Lake | 1436.2 | 1401.3 | 1464.0 | 2043.0 | 70% | 69% | 72% | 98% | 96% |
| Holter Lake | 81.1 | 81.2 | 81.0 | 81.9 | 99% | 99% | 99% | 100% | 100% |
| Hauser Lake & Lake Helena | 70.0 | 70.1 | | 74.6 | 94% | 94% | | | |
| Basin Index | | | | | 72% | 71% | 73% | 98% | 96% |
| # of reservoirs | | | | | 5 | 5 | 4 | 4 | 4 |
| Smith-Judith-Musselshell | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Martinsdale Res | | 10.0 | | 23.1 | | 43% | | | |
| Ackley Lake | | 4.0 | 3.1 | 7.0 | | 56% | 44% | | 127% |
| Deadman's Basin Res | | 60.7 | 51.6 | 72.2 | | 84% | 71% | | 118% |
| Bair Res | | 2.6 | 3.5 | 7.0 | | 37% | 50% | | 74% |
| Smith River Res | | 6.2 | 6.3 | 10.6 | | 58% | 59% | | 98% |
| Newlan Lake Res | | | | | | | | | |
| Basin Index | | | | | | 70% | 67% | | 114% |
| # of reservoirs | | | | | 0 | 5 | 4 | 0 | 4 |
| Sun-Teton-Marias | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Four Horns Lake | | 13.7 | | 19.2 | | 71% | | | |
| Gibson Res | 50.0 | 5.0 | 28.5 | 99.1 | 50% | 5% | 29% | 175% | 18% |
| Willow Creek Res - Augusta | 8.5 | 13.5 | 27.7 | 32.2 | 27% | 42% | 86% | 31% | 49% |
| Swift Res | | 18.4 | 15.5 | 30.0 | | 61% | 52% | | 119% |
| Lake Elwell (Tiber) | 745.2 | 664.7 | 724.6 | 1347.0 | 55% | 49% | 54% | 103% | 92% |
| Pishkun Res | 11.8 | 18.2 | 19.3 | 32.0 | 37% | 57% | 60% | 61% | 94% |
| Nilan Reservoir | | 4.9 | 6.8 | 11.0 | | 44% | 62% | | 72% |
| Lake Frances | | 41.3 | 56.5 | 112.0 | | 37% | 50% | | 73% |
| Lower Two Medicine Lake | | 2.0 | | 11.9 | | 17% | | | |
| Basin Index | | | | | 54% | 46% | 53% | 102% | 87% |
| # of reservoirs | | | | | 4 | 9 | 7 | 4 | 7 |
| Lower Missouri | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Fort Peck Lake | 12646.2 | 13503.7 | 13543.0 | 18910.0 | 67% | 71% | 72% | 93% | 100% |
| Basin Index | | | | | 67% | 71% | 72% | 93% | 100% |
| # of reservoirs | | | | | 1 | 1 | 1 | 1 | 1 |

| Milk | | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
|------------------------------|--|------------------|--------------------|-----------------|-------------------|-----------------------|-------------------------|----------------------|---------------------|-----------------------|
| Fresno Res | | 28.4 | 29.6 | 48.8 | 127.0 | 22% | 23% | 38% | 58% | 61% |
| Nelson Res | | 34.8 | 36.0 | 37.4 | 66.8 | 52% | 54% | 56% | 93% | 96% |
| Basin Index | | | | | | 33% | 34% | 44% | 73% | 76% |
| # of reservoirs | | | | | | 2 | 2 | 2 | 2 | 2 |
| Bear Paw | | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Beaver Creek | | | | | 3.5 | | | | % | % |
| Basin Index | | | | | | | | | | |
| # of reservoirs | | | | | | 0 | 0 | 0 | 0 | 0 |
| Upper Yellowstone | | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Cooney Res | | | 22.8 | 18.8 | 27.4 | | 83% | 69% | | 121% |
| Mystic Lake | | 3.3 | 4.6 | 3.6 | 21.0 | 16% | 22% | 17% | 93% | 129% |
| Basin Index | | | | | | 16% | 57% | 46% | 93% | 123% |
| # of reservoirs | | | | | | 1 | 2 | 2 | 1 | 2 |
| Bighorn | | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Bull Lake | | 39.3 | 35.5 | 80.9 | 151.8 | 26% | 23% | 53% | 49% | 44% |
| Pilot Butte | | 26.3 | 25.6 | 25.1 | 31.6 | 83% | 81% | 79% | 105% | 102% |
| Bighorn Lake | | 794.1 | 786.0 | 815.7 | 1356.0 | 59% | 58% | 60% | 97% | 96% |
| Boysen | | 482.8 | 472.1 | 547.6 | 596.0 | 81% | 79% | 92% | 88% | 86% |
| Buffalo Bill | | 398.0 | 374.2 | 441.9 | 646.6 | 62% | 58% | 68% | 90% | 85% |
| Basin Index | | | | | | 63% | 61% | 69% | 91% | 89% |
| # of reservoirs | | | | | | 5 | 5 | 5 | 5 | 5 |
| Tongue | | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Tongue River Res | | | 47.1 | 50.0 | 79.1 | | 60% | 63% | | 94% |
| Basin Index | | | | | | | 60% | 63% | | 94% |
| # of reservoirs | | | | | | 0 | 1 | 1 | 0 | 1 |
| Kootenai | | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Lake Koocanusa | | 2868.9 | 3605.2 | 3154.0 | 5748.0 | 50% | 63% | 55% | 91% | 114% |
| Basin Index | | | | | | 50% | 63% | 55% | 91% | 114% |
| # of reservoirs | | | | | | 1 | 1 | 1 | 1 | 1 |
| Upper Clark Fork | | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Lower Willow Creek Reservoir | | | | | 4.9 | | | | | |
| Silver Lake | | | | | | | | | | |
| Georgetown Lake | | 27.9 | 28.8 | 28.5 | 31.0 | 90% | 93% | 92% | 98% | 101% |
| East Fork Rock Creek Res | | | 9.5 | 8.8 | 16.0 | | 59% | 55% | | 108% |
| Nevada Creek Res | | | 3.1 | 5.9 | 12.6 | | 24% | 47% | | 52% |
| Basin Index | | | | | | 90% | 69% | 72% | 98% | 96% |
| # of reservoirs | | | | | | 1 | 3 | 3 | 1 | 3 |
| Lower Clark Fork | | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Noxon Rapids Reservoir | | 313.9 | 302.7 | 319.8 | 335.0 | 94% | 90% | 95% | 98% | 95% |
| Thompson Falls Res | | 14.8 | 15.2 | 14.9 | | | | | 99% | 102% |
| Basin Index | | | | | | 94% | 90% | 95% | 98% | 95% |
| # of reservoirs | | | | | | 1 | 1 | 1 | 2 | 2 |
| Bitterroot | | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Painted Rocks Lake | | | 8.4 | 6.8 | 31.7 | | 26% | 21% | | 123% |
| Lake Como | | 25.1 | 9.6 | 13.3 | 34.9 | 72% | 28% | 38% | 189% | 72% |
| Basin Index | | | | | | 72% | 27% | 30% | 189% | 90% |
| # of reservoirs | | | | | | 1 | 2 | 2 | 1 | 2 |
| Flathead | | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
| Hungry Horse Lake | | 2951.4 | 2401.1 | 2474.0 | 3451.0 | 86% | 70% | 72% | 119% | 97% |
| Flathead Lake | | 1214.7 | 853.4 | 784.5 | 1791.0 | 68% | 48% | 44% | 155% | 109% |
| Lower Jocko Lake | | | | | 6.4 | | | | | |
| Mission Valley (8) | | | | | 100.0 | | | | | |

Camas (4)

45.2

| Basin Index | | | | | | 79% | 62% | 62% | 128% | 100% |
|--------------------------------|------------------|--------------------|-----------------|-------------------|-----------------------|-------------------------|----------------------|---------------------|-----------------------|-------------|
| # of reservoirs | | | | | | 2 | 2 | 2 | 2 | 2 |
| Missouri Headwaters | | | | | | | | | | |
| | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median | |
| Hebgen Lake | 306.3 | 301.9 | 285.2 | 378.8 | 81% | 80% | 75% | 107% | 106% | |
| Ruby River Reservoir | | 28.4 | 28.3 | 38.8 | | 73% | 73% | | 100% | |
| Clark Canyon Res | 101.5 | 138.1 | 119.7 | 255.6 | 40% | 54% | 47% | 85% | 115% | |
| Lima Reservoir | 35.9 | 43.3 | 39.2 | 84.0 | 43% | 52% | 47% | 92% | 110% | |
| Ennis Lake | 30.7 | 30.7 | 29.1 | 41.0 | 75% | 75% | 71% | 105% | 105% | |
| Willow Creek Res (Harrison) | | 12.2 | 14.0 | | | | | | 87% | |
| Middle Creek Res | | 5.4 | 6.0 | 10.2 | | 53% | 59% | | 89% | |
| Basin Index | | | | | | 62% | 68% | 63% | 100% | 107% |
| # of reservoirs | | | | | | 4 | 6 | 6 | 4 | 7 |
| Montana East of Divide | | | | | | | | | | |
| | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median | |
| Four Horns Lake | | 13.7 | | 19.2 | | 71% | | | | |
| Nelson Res | 34.8 | 36.0 | 37.4 | 66.8 | 52% | 54% | 56% | 93% | 96% | |
| Willow Creek Res - Augusta | 8.5 | 13.5 | 27.7 | 32.2 | 27% | 42% | 86% | 31% | 49% | |
| Canyon Ferry Lake | 1436.2 | 1401.3 | 1464.0 | 2043.0 | 70% | 69% | 72% | 98% | 96% | |
| Bair Res | | 2.6 | 3.5 | 7.0 | | 37% | 50% | | 74% | |
| Holter Lake | 81.1 | 81.2 | 81.0 | 81.9 | 99% | 99% | 99% | 100% | 100% | |
| Beaver Creek | | | | 3.5 | | | | | | |
| Lake Helena | 9.9 | 9.9 | 10.9 | 12.7 | 78% | 78% | 86% | 90% | 91% | |
| Fresno Res | 28.4 | 29.6 | 48.8 | 127.0 | 22% | 23% | 38% | 58% | 61% | |
| Helena Valley Reservoir | 6.6 | 5.7 | 5.0 | 9.2 | 72% | 62% | 54% | 133% | 113% | |
| Fort Peck Lake | 12646.2 | 13503.7 | 13543.0 | 18910.0 | 67% | 71% | 72% | 93% | 100% | |
| Lake Elwell (Tiber) | 745.2 | 664.7 | 724.6 | 1347.0 | 55% | 49% | 54% | 103% | 92% | |
| Pishkun Res | 11.8 | 18.2 | 19.3 | 32.0 | 37% | 57% | 60% | 61% | 94% | |
| Smith River Res | | 6.2 | 6.3 | 10.6 | | 58% | 59% | | 98% | |
| Nilan Reservoir | | 4.9 | 6.8 | 11.0 | | 44% | 62% | | 72% | |
| Hauser Lake & Lake Helena | 70.0 | 70.1 | | 74.6 | 94% | 94% | | | | |
| Newlan Lake Res | | | | | | | | | | |
| Martinsdale Res | | 10.0 | | 23.1 | | 43% | | | | |
| Swift Res | | 18.4 | 15.5 | 30.0 | | 61% | 52% | | 119% | |
| Deadman's Basin Res | | 60.7 | 51.6 | 72.2 | | 84% | 71% | | 118% | |
| Gibson Res | 50.0 | 5.0 | 28.5 | 99.1 | 50% | 5% | 29% | 175% | 18% | |
| Ackley Lake | | 4.0 | 3.1 | 7.0 | | 56% | 44% | | 127% | |
| Lake Frances | | 41.3 | 56.5 | 112.0 | | 37% | 50% | | 73% | |
| Lower Two Medicine Lake | | 2.0 | | 11.9 | | 17% | | | | |
| Basin Index | | | | | | 66% | 69% | 70% | 94% | 99% |
| # of reservoirs | | | | | | 12 | 22 | 18 | 11 | 18 |
| Montana West of Divide | | | | | | | | | | |
| | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median | |
| Hungry Horse Lake | 2951.4 | 2401.1 | 2474.0 | 3451.0 | 86% | 70% | 72% | 119% | 97% | |
| Lower Willow Creek Reservoir | | | | 4.9 | | | | | | |
| Flathead Lake | 1214.7 | 853.4 | 784.5 | 1791.0 | 68% | 48% | 44% | 155% | 109% | |
| Lake Como | 25.1 | 9.6 | 13.3 | 34.9 | 72% | 28% | 38% | 189% | 72% | |
| Thompson Falls Res | 14.8 | 15.2 | 14.9 | | | | | 99% | 102% | |
| Silver Lake | | | | | | | | | | |
| Georgetown Lake | 27.9 | 28.8 | 28.5 | 31.0 | 90% | 93% | 92% | 98% | 101% | |
| Lower Jocko Lake | | | | 6.4 | | | | | | |
| East Fork Rock Creek Res | | 9.5 | 8.8 | 16.0 | | 59% | 55% | | 108% | |
| Lake Kocanusa | 2868.9 | 3605.2 | 3154.0 | 5748.0 | 50% | 63% | 55% | 91% | 114% | |
| Painted Rocks Lake | | 8.4 | 6.8 | 31.7 | | 26% | 21% | | 123% | |
| Noxon Rapids Reservoir | 313.9 | 302.7 | 319.8 | 335.0 | 94% | 90% | 95% | 98% | 95% | |
| Nevada Creek Res | | 3.1 | 5.9 | 12.6 | | 24% | 47% | | 52% | |
| Mission Valley (8) | | | | 100.0 | | | | | | |
| Camas (4) | | | | 45.2 | | | | | | |
| Basin Index | | | | | | 65% | 63% | 59% | 109% | 106% |
| # of reservoirs | | | | | | 6 | 9 | 9 | 7 | 10 |
| Montana in State Basins | | | | | | | | | | |
| | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median | |
| Hebgen Lake | 306.3 | 301.9 | 285.2 | 378.8 | 81% | 80% | 75% | 107% | 106% | |
| Four Horns Lake | | 13.7 | | 19.2 | | 71% | | | | |
| Lake Como | 25.1 | 9.6 | 13.3 | 34.9 | 72% | 28% | 38% | 189% | 72% | |
| Nelson Res | 34.8 | 36.0 | 37.4 | 66.8 | 52% | 54% | 56% | 93% | 96% | |
| Willow Creek Res - Augusta | 8.5 | 13.5 | 27.7 | 32.2 | 27% | 42% | 86% | 31% | 49% | |
| Canyon Ferry Lake | 1436.2 | 1401.3 | 1464.0 | 2043.0 | 70% | 69% | 72% | 98% | 96% | |
| Lake Sherburne | 49.8 | 35.7 | 30.1 | 64.3 | 77% | 55% | 47% | 165% | 119% | |

| | | | | | | | | | |
|------------------------------|--------|--------|--------|--------|-----|-----|-----|------|------|
| Painted Rocks Lake | | 8.4 | 6.8 | 31.7 | | 26% | 21% | | 123% |
| Bair Res | | 2.6 | 3.5 | 7.0 | | 37% | 50% | | 74% |
| Holter Lake | 81.1 | 81.2 | 81.0 | 81.9 | 99% | 99% | 99% | 100% | 100% |
| Beaver Creek | | | | 3.5 | | | | | |
| Lake Koocanusa | 2868.9 | 3605.2 | 3154.0 | 5748.0 | 50% | 63% | 55% | 91% | 114% |
| Middle Creek Res | | 5.4 | 6.0 | 10.2 | | 53% | 59% | | 89% |
| Lake Helena | 9.9 | 9.9 | 10.9 | 12.7 | 78% | 78% | 86% | 90% | 91% |
| Fresno Res | 28.4 | 29.6 | 48.8 | 127.0 | 22% | 23% | 38% | 58% | 61% |
| Hungry Horse Lake | 2951.4 | 2401.1 | 2474.0 | 3451.0 | 86% | 70% | 72% | 119% | 97% |
| Lower Willow Creek Reservoir | | | | 4.9 | | | | | |
| Georgetown Lake | 27.9 | 28.8 | 28.5 | 31.0 | 90% | 93% | 92% | 98% | 101% |
| Helena Valley Reservoir | 6.6 | 5.7 | 5.0 | 9.2 | 72% | 62% | 54% | 133% | 113% |
| Lower Jocko Lake | | | | 6.4 | | | | | |
| Ennis Lake | 30.7 | 30.7 | 29.1 | 41.0 | 75% | 75% | 71% | 105% | 105% |
| Lake Elwell (Tiber) | 745.2 | 664.7 | 724.6 | 1347.0 | 55% | 49% | 54% | 103% | 92% |
| Pishkun Res | 11.8 | 18.2 | 19.3 | 32.0 | 37% | 57% | 60% | 61% | 94% |
| Noxon Rapids Reservoir | 313.9 | 302.7 | 319.8 | 335.0 | 94% | 90% | 95% | 98% | 95% |
| Smith River Res | | 6.2 | 6.3 | 10.6 | | 58% | 59% | | 98% |
| Nilan Reservoir | | 4.9 | 6.8 | 11.0 | | 44% | 62% | | 72% |
| Hauser Lake & Lake Helena | 70.0 | 70.1 | | 74.6 | 94% | 94% | | | |
| Cooney Res | | 22.8 | 18.8 | 27.4 | | 83% | 69% | | 121% |
| Mission Valley (8) | | | | 100.0 | | | | | |
| Newlan Lake Res | | | | | | | | | |
| Martinsdale Res | | 10.0 | | 23.1 | | 43% | | | |
| Ruby River Reservoir | | 28.4 | 28.3 | 38.8 | | 73% | 73% | | 100% |
| Clark Canyon Res | 101.5 | 138.1 | 119.7 | 255.6 | 40% | 54% | 47% | 85% | 115% |
| Silver Lake | | | | | | | | | |
| Thompson Falls Res | 14.8 | 15.2 | 14.9 | | | | | 99% | 102% |
| Mystic Lake | 3.3 | 4.6 | 3.6 | 21.0 | 16% | 22% | 17% | 93% | 129% |
| Deadman's Basin Res | | 60.7 | 51.6 | 72.2 | | 84% | 71% | | 118% |
| Swift Res | | 18.4 | 15.5 | 30.0 | | 61% | 52% | | 119% |
| Willow Creek Res (Harrison) | | 12.2 | 14.0 | | | | | | 87% |
| Nevada Creek Res | | 3.1 | 5.9 | 12.6 | | 24% | 47% | | 52% |
| Gibson Res | 50.0 | 5.0 | 28.5 | 99.1 | 50% | 5% | 29% | 175% | 18% |
| Flathead Lake | 1214.7 | 853.4 | 784.5 | 1791.0 | 68% | 48% | 44% | 155% | 109% |
| Lima Reservoir | 35.9 | 43.3 | 39.2 | 84.0 | 43% | 52% | 47% | 92% | 110% |
| Ackley Lake | | 4.0 | 3.1 | 7.0 | | 56% | 44% | | 127% |
| East Fork Rock Creek Res | | 9.5 | 8.8 | 16.0 | | 59% | 55% | | 108% |
| Lake Frances | | 41.3 | 56.5 | 112.0 | | 37% | 50% | | 73% |
| Lower Two Medicine Lake | | 2.0 | | 11.9 | | 17% | | | |
| Camas (4) | | | | 45.2 | | | | | |

| | | | | | |
|--------------------|------------|------------|------------|-------------|-------------|
| Basin Index | 64% | 62% | 60% | 106% | 103% |
| # of reservoirs | 23 | 39 | 35 | 23 | 37 |

| State of Montana | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
|------------------------------|---------------|-----------------|--------------|----------------|--------------------|----------------------|-------------------|------------------|--------------------|
| Hebgen Lake | 306.3 | 301.9 | 285.2 | 378.8 | 81% | 80% | 75% | 107% | 106% |
| Four Horns Lake | | 13.7 | | 19.2 | | 71% | | | |
| Pilot Butte | 26.3 | 25.6 | 25.1 | 31.6 | 83% | 81% | 79% | 105% | 102% |
| Lake Como | 25.1 | 9.6 | 13.3 | 34.9 | 72% | 28% | 38% | 189% | 72% |
| Nelson Res | 34.8 | 36.0 | 37.4 | 66.8 | 52% | 54% | 56% | 93% | 96% |
| Willow Creek Res - Augusta | 8.5 | 13.5 | 27.7 | 32.2 | 27% | 42% | 86% | 31% | 49% |
| Canyon Ferry Lake | 1436.2 | 1401.3 | 1464.0 | 2043.0 | 70% | 69% | 72% | 98% | 96% |
| Lake Sherburne | 49.8 | 35.7 | 30.1 | 64.3 | 77% | 55% | 47% | 165% | 119% |
| Painted Rocks Lake | | 8.4 | 6.8 | 31.7 | | 26% | 21% | | 123% |
| Bair Res | | 2.6 | 3.5 | 7.0 | | 37% | 50% | | 74% |
| Holter Lake | 81.1 | 81.2 | 81.0 | 81.9 | 99% | 99% | 99% | 100% | 100% |
| Beaver Creek | | | | 3.5 | | | | | |
| Lake Koocanusa | 2868.9 | 3605.2 | 3154.0 | 5748.0 | 50% | 63% | 55% | 91% | 114% |
| Middle Creek Res | | 5.4 | 6.0 | 10.2 | | 53% | 59% | | 89% |
| Lake Helena | 9.9 | 9.9 | 10.9 | 12.7 | 78% | 78% | 86% | 90% | 91% |
| Fresno Res | 28.4 | 29.6 | 48.8 | 127.0 | 22% | 23% | 38% | 58% | 61% |
| Hungry Horse Lake | 2951.4 | 2401.1 | 2474.0 | 3451.0 | 86% | 70% | 72% | 119% | 97% |
| Lower Willow Creek Reservoir | | | | 4.9 | | | | | |
| Georgetown Lake | 27.9 | 28.8 | 28.5 | 31.0 | 90% | 93% | 92% | 98% | 101% |
| Helena Valley Reservoir | 6.6 | 5.7 | 5.0 | 9.2 | 72% | 62% | 54% | 133% | 113% |
| Lower Jocko Lake | | | | 6.4 | | | | | |
| Ennis Lake | 30.7 | 30.7 | 29.1 | 41.0 | 75% | 75% | 71% | 105% | 105% |
| Lake Elwell (Tiber) | 745.2 | 664.7 | 724.6 | 1347.0 | 55% | 49% | 54% | 103% | 92% |
| Fort Peck Lake | 12646.2 | 13503.7 | 13543.0 | 18910.0 | 67% | 71% | 72% | 93% | 100% |
| Pishkun Res | 11.8 | 18.2 | 19.3 | 32.0 | 37% | 57% | 60% | 61% | 94% |
| Noxon Rapids Reservoir | 313.9 | 302.7 | 319.8 | 335.0 | 94% | 90% | 95% | 98% | 95% |
| Smith River Res | | 6.2 | 6.3 | 10.6 | | 58% | 59% | | 98% |
| Nilan Reservoir | | 4.9 | 6.8 | 11.0 | | 44% | 62% | | 72% |
| Hauser Lake & Lake Helena | 70.0 | 70.1 | | 74.6 | 94% | 94% | | | |

| | | | | | | | | | |
|-----------------------------|--------|-------|-------|--------|-----|-----|-----|------|------|
| Cooney Res | | 22.8 | 18.8 | 27.4 | | 83% | 69% | | 121% |
| Mission Valley (8) | | | | 100.0 | | | | | |
| Newlan Lake Res | | | | | | | | | |
| Martinsdale Res | | 10.0 | | 23.1 | | 43% | | | |
| Ruby River Reservoir | | 28.4 | 28.3 | 38.8 | | 73% | 73% | | 100% |
| Clark Canyon Res | 101.5 | 138.1 | 119.7 | 255.6 | 40% | 54% | 47% | 85% | 115% |
| Tongue River Res | | 47.1 | 50.0 | 79.1 | | 60% | 63% | | 94% |
| Silver Lake | | | | | | | | | |
| Thompson Falls Res | 14.8 | 15.2 | 14.9 | | | | | 99% | 102% |
| Bighorn Lake | 794.1 | 786.0 | 815.7 | 1356.0 | 59% | 58% | 60% | 97% | 96% |
| Mystic Lake | 3.3 | 4.6 | 3.6 | 21.0 | 16% | 22% | 17% | 93% | 129% |
| Deadman's Basin Res | | 60.7 | 51.6 | 72.2 | | 84% | 71% | | 118% |
| Swift Res | | 18.4 | 15.5 | 30.0 | | 61% | 52% | | 119% |
| Willow Creek Res (Harrison) | | 12.2 | 14.0 | | | | | | 87% |
| Nevada Creek Res | | 3.1 | 5.9 | 12.6 | | 24% | 47% | | 52% |
| Buffalo Bill | 398.0 | 374.2 | 441.9 | 646.6 | 62% | 58% | 68% | 90% | 85% |
| Bull Lake | 39.3 | 35.5 | 80.9 | 151.8 | 26% | 23% | 53% | 49% | 44% |
| Gibson Res | 50.0 | 5.0 | 28.5 | 99.1 | 50% | 5% | 29% | 175% | 18% |
| Flathead Lake | 1214.7 | 853.4 | 784.5 | 1791.0 | 68% | 48% | 44% | 155% | 109% |
| Lima Reservoir | 35.9 | 43.3 | 39.2 | 84.0 | 43% | 52% | 47% | 92% | 110% |
| Ackley Lake | | 4.0 | 3.1 | 7.0 | | 56% | 44% | | 127% |
| East Fork Rock Creek Res | | 9.5 | 8.8 | 16.0 | | 59% | 55% | | 108% |
| Boysen | 482.8 | 472.1 | 547.6 | 596.0 | 81% | 79% | 92% | 88% | 86% |
| Lake Frances | | 41.3 | 56.5 | 112.0 | | 37% | 50% | | 73% |
| Lower Two Medicine Lake | | 2.0 | | 11.9 | | 17% | | | |
| Camas (4) | | | | 45.2 | | | | | |

| | | | | | |
|--------------------|------------|------------|------------|------------|-------------|
| Basin Index | 66% | 67% | 67% | 98% | 100% |
| # of reservoirs | 29 | 46 | 42 | 29 | 44 |

| Yellowstone | Current (KAF) | Last Year (KAF) | Median (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Median % Capacity | Current % Median | Last Year % Median |
|--------------------|---------------|-----------------|--------------|----------------|--------------------|----------------------|-------------------|------------------|--------------------|
| Bull Lake | 39.3 | 35.5 | 80.9 | 151.8 | 26% | 23% | 53% | 49% | 44% |
| Pilot Butte | 26.3 | 25.6 | 25.1 | 31.6 | 83% | 81% | 79% | 105% | 102% |
| Tongue River Res | | 47.1 | 50.0 | 79.1 | | 60% | 63% | | 94% |
| Bighorn Lake | 794.1 | 786.0 | 815.7 | 1356.0 | 59% | 58% | 60% | 97% | 96% |
| Mystic Lake | 3.3 | 4.6 | 3.6 | 21.0 | 16% | 22% | 17% | 93% | 129% |
| Boysen | 482.8 | 472.1 | 547.6 | 596.0 | 81% | 79% | 92% | 88% | 86% |
| Cooney Res | | 22.8 | 18.8 | 27.4 | | 83% | 69% | | 121% |
| Buffalo Bill | 398.0 | 374.2 | 441.9 | 646.6 | 62% | 58% | 68% | 90% | 85% |
| Basin Index | 62% | 61% | 68% | 91% | 89% | | | | |
| # of reservoirs | 6 | 8 | 8 | 6 | 8 | | | | |