

STATE OF MONTANA
DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION
1424 9TH AVENUE P.O.BOX 201601 HELENA, MONTANA 59620-1601

GENERAL ABSTRACT

Water Right Number: 40S 97742-00 PROVISIONAL PERMIT
Version: 2 -- CHANGE AUTHORIZATION
Version Status: ACTIVE

Owners: TERRIL L RAAUM
PO BOX 454
CULBERTSON, MT 59218

Priority Date: OCTOBER 28, 1996 at 08:10 A.M.

Enforceable Priority Date: OCTOBER 28, 1996 at 08:10 A.M.

Purpose (use): IRRIGATION
Maximum Flow Rate: 1,200.00 GPM
Maximum Volume: 542.70 AC-FT
Maximum Acres: 201.00

Source Name: MISSOURI RIVER
Source Type: SURFACE WATER

Point of Diversion and Means of Diversion:

<u>ID</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1		SESWE	13	27N	56E	RICHLAND

Period of Diversion: MAY 1 TO SEPTEMBER 30

Diversion Means: PUMP

Purpose (Use): IRRIGATION
Irrigation Type: SPRINKLER/FLOOD
Climatic Area: 2 - MODERATELY HIGH
Volume: 542.70 AC-FT
Period of Use: MAY 1 to SEPTEMBER 30

Place of Use:

<u>ID</u>	<u>Acres</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1	32.00		E2NW	22	27N	56E	RICHLAND
2	15.00		NESW	22	27N	56E	RICHLAND
3	32.00		S2NE	22	27N	56E	RICHLAND
4	76.00		SE	22	27N	56E	RICHLAND
5	46.00		NE	27	27N	56E	RICHLAND
Total:	201.00						

Geocodes/Valid: -- NO VALID GEOCODES --

Remarks:

ASSOCIATED RIGHT

PERMIT 40S-097742-00 IS ASSOCIATED TO CONSERVATION DISTRICT RIGHT 40S-114654-99. THEY HAVE THE SAME POINT OF DIVERSION. THEY SHARE THE SAME PUMP.

ASSOCIATED RIGHT

PERMIT 40S-097742-00 IS ASSOCIATED TO STATEMENT OF CLAIM 40S-171275-00 AND CONSERVATION DISTRICT RIGHT 40S-114654-99. THEY HAVE OVERLAPPING PLACES OF USE. THE CONSERVATION DISTRICT RIGHT DUPLICATES THE PERMIT.

WATER MEASUREMENT-WATER USE MEASURING DEVICE

THE APPROPRIATOR SHALL INSTALL A DEPARTMENT APPROVED WATER USE MEASURING DEVICE AT A POINT APPROVED BY THE DEPARTMENT. WATER MUST NOT BE DIVERTED UNTIL THE REQUIRED MEASURING DEVICE IS IN PLACE AND OPERATING. ON A FORM PROVIDED BY THE DEPARTMENT, THE APPROPRIATOR SHALL KEEP A WRITTEN DAILY RECORD OF THE FLOW RATE AND VOLUME OF ALL WATER DIVERTED INCLUDING THE PERIOD OF TIME. RECORDS SHALL BE SUBMITTED BY NOVEMBER 30 OF EACH YEAR AND UPON REQUEST AT OTHER TIMES DURING THE YEAR. FAILURE TO SUBMIT REPORTS MAY BE CAUSE FOR REVOCATION OF A PERMIT OR CHANGE. THE RECORDS MUST BE SENT TO THE WATER RESOURCES REGIONAL OFFICE. THE APPROPRIATOR SHALL MAINTAIN THE MEASURING DEVICE SO IT ALWAYS OPERATES PROPERLY AND MEASURES FLOW RATE AND VOLUME ACCURATELY.