

STATE OF MONTANA  
DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION  
1424 9TH AVENUE P.O.BOX 201601 HELENA, MONTANA 59620-1601

# GENERAL ABSTRACT

**Water Right Number:** 40A 30002276 PROVISIONAL PERMIT  
**Version:** 1 -- ORIGINAL RIGHT  
**Version Status:** ACTIVE

**Owners:**  
TRENT W WALLIS  
PO BOX 185  
LAVINA, MT 59046-0185  
JENNELLE K WALLIS  
PO BOX 185  
LAVINA, MT 59046-0185

**Priority Date:** MAY 29, 2002 at 03:20 P.M.  
**Enforceable Priority Date:** MAY 29, 2002 at 03:20 P.M.

**Purpose (use):** IRRIGATION  
**Maximum Flow Rate:** 1,500.00 GPM  
**Maximum Volume:** 275.00 AC-FT  
**Maximum Acres:** 183.70

**Source Name:** MUSSELSHELL RIVER  
**Source Type:** SURFACE WATER

**Point of Diversion and Means of Diversion:**

<u>ID</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1		NESWNW	14	6N	23E	GOLDEN VALLEY

**Period of Diversion:** APRIL 1 TO JUNE 30  
**Diversion Means:** PUMP

**Purpose (Use):** IRRIGATION  
**Irrigation Type:** SPRINKLER/FLOOD  
**Climatic Area:** 1 - HIGH  
**Volume:** 275.00 AC-FT  
**Period of Use:** APRIL 1 to JUNE 30

**Place of Use:**

<u>ID</u>	<u>Acres</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1	98.50		NE	14	6N	23E	GOLDEN VALLEY
2	58.20		S2NW	14	6N	23E	GOLDEN VALLEY
3	27.00		N2SW	14	6N	23E	GOLDEN VALLEY
<b>Total:</b>	<b>183.70</b>						

**Geocodes/Valid:** 53-1517-14-2-02-02-0001 - Y

**Remarks:**

**Remarks:**

**IMPORTANT INFORMATION**

THE APPROPRIATOR SHALL DIVERT WATER DURING THE PERIOD OF APPROPRIATION ONLY WHEN THE FLOW RATES AT USGS GAUGING STATIONS NO.06126050 (MUSSELSHELL RIVER NEAR LAVINA) AND NO.06126500 (MUSSELSHELL RIVER NEAR ROUNDUP) BOTH INDICATE FLOWS IN EXCESS OF 80 CUBIC FEET PER SECOND. THESE FLOWS MUST BE CHECKED DAILY WHEN APPROPRIATING WATER. THE CURRENT INTERNET ADDRESS IS: <http://mt.waterdata.usgs.gov/nwis/current?type=flow>

**MUSSELSHELL RIVER BASIN REQUIREMENTS**

THE APPROPRIATOR SHALL CEASE EXERCISING THIS RIGHT WHEN THE FLOW IN THE MUSSELSHELL RIVER IS LESS THAN WHAT CAN BE BENEFICIALLY USED BY THE DELPHIA-MELSTONE PROJECT AND WATER IS RELEASED FROM DEADMAN'S BASIN TO SATISFY THE DELPHIA-MELSTONE DEMAND AND/OR THE DEMAND BY ANY OTHER EXISTING WATER RIGHT.

**WATER MEASUREMENT-INLINE FLOW METER REQUIRED**

THE APPROPRIATOR SHALL INSTALL A DEPARTMENT APPROVED IN-LINE FLOW METER AT A POINT IN THE DELIVERY LINE APPROVED BY THE DEPARTMENT. WATER MUST NOT BE DIVERTED UNTIL THE REQUIRED MEASURING DEVICE IS IN PLACE AND OPERATING. ON A FORM PROVIDED BY THE DEPARTMENT, THE APPROPRIATOR SHALL KEEP A WRITTEN DAILY RECORD OF THE FLOW RATE AND VOLUME OF ALL WATER DIVERTED, INCLUDING THE PERIOD OF TIME. RECORDS SHALL BE SUBMITTED BY NOVEMBER 30 OF EACH YEAR AND UPON REQUEST AT OTHER TIMES DURING THE YEAR. FAILURE TO SUBMIT REPORTS MAY BE CAUSE FOR REVOCATION OF A PERMIT OR CHANGE. THE RECORDS MUST BE SENT TO THE WATER RESOURCES REGIONAL OFFICE. THE APPROPRIATOR SHALL MAINTAIN THE MEASURING DEVICE SO IT ALWAYS OPERATES PROPERLY AND MEASURES FLOW RATE AND VOLUME ACCURATELY.

**WATER MEASUREMENT - ANNUAL DATA**

**OWNERSHIP UPDATE RECEIVED**

OWNERSHIP UPDATE TYPE DOR # 86987 RECEIVED 12/02/2010.