

STATE OF MONTANA
DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION
1424 9TH AVENUE P.O.BOX 201601 HELENA, MONTANA 59620-1601

GENERAL ABSTRACT

Water Right Number: 76G 30050801 PROVISIONAL PERMIT
Version: 1 -- ORIGINAL RIGHT

Version Status: ACTIVE

Owners: MISSOULA COUNTY OFFICE OF PUBLIC WORKS, RSID #8458
6089 TRAINING DRIVE
MISSOULA, MT 59808

Priority Date: APRIL 20, 2011 at 11:50 A.M.

Enforceable Priority Date: APRIL 20, 2011 at 11:50 A.M.

Purpose (use): MULTIPLE DOMESTIC
LAWN AND GARDEN

Maximum Flow Rate: 60.00 GPM

Maximum Volume: 16.50 AC-FT

Maximum Acres: 2.50

Source Name: GROUNDWATER

Source Type: GROUNDWATER

Point of Diversion and Means of Diversion:

<u>ID</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1		NWSENE	27	12N	17W	MISSOULA

Period of Diversion: JANUARY 1 TO DECEMBER 31

Diversion Means: WELL

Subdivision: LEWIS AND CLARK ADD TRACT/LOT: 20-21

Well Depth: 63.00 FEET

2		NWSENE	27	12N	17W	MISSOULA
---	--	--------	----	-----	-----	----------

Period of Diversion: JANUARY 1 TO DECEMBER 31

Diversion Means: WELL

Subdivision: LEWIS AND CLARK ADD TRACT/LOT: 20-21

Well Depth: 99.00 FEET

Static Water Level: 31.00 FEET

Casing Diameter: 6.00 INCHES

Purpose (Use): MULTIPLE DOMESTIC

Households: 42

Volume: 11.07 AC-FT

Period of Use: JANUARY 1 to DECEMBER 31

Place of Use:

<u>ID</u>	<u>Acres</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1			NWSENE	27	12N	17W	MISSOULA
2			SWNESE	27	12N	17W	MISSOULA

Purpose (Use): LAWN AND GARDEN

Volume: 5.43 AC-FT

Period of Use: APRIL 28 to OCTOBER 4

Place of Use:

<u>ID</u>	<u>Acres</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1	0.96		NWSENE	27	12N	17W	MISSOULA
2	1.53		SWNESE	27	12N	17W	MISSOULA
Total:	2.49						

Remarks:

Remarks:

CLARK FORK RIVER BASIN LAW

THIS PROVISIONAL WATER USE PERMIT HAS A PRIORITY DATE THAT IS JUNIOR TO THE RIGHTS OF SENIOR WATER RIGHT HOLDERS IN THE CLARK FORK RIVER BASIN. IN ACCORDANCE WITH MONTANA LAW, YOU MAY BE SUBJECT TO A CALL BY SENIOR WATER RIGHT HOLDERS, IN WHICH CASE YOU MAY BE REQUIRED TO DISCONTINUE YOUR USE OF WATER FOR THE PERIOD OF THE CALL.

CONFEDERATED SALISH AND KOOTENAI TRIBES - RESERVED WATER RIGHTS

THIS RIGHT IS SUBJECT TO ALL PRIOR INDIAN RESERVED WATER RIGHTS OF THE CONFEDERATED SALISH AND KOOTENAI TRIBES IN THE SOURCE OF SUPPLY. IT IS THE TRIBE'S POSITION THAT THE EXERCISE OF JUNIOR WATER RIGHTS EITHER WITHIN OR OUTSIDE OF THE EXTERIOR BOUNDARIES OF THE FLATHEAD INDIAN RESERVATION MAY AFFECT THE RESERVED WATER RIGHTS OF THE TRIBE WITHIN THE EXTERIOR BOUNDARIES OF THE RESERVATION. IT IS THE TRIBE'S POSITION THAT ECONOMIC INVESTMENTS MADE IN RELIANCE UPON THIS RIGHT DO NOT CREATE IN THE APPROPRIATOR ANY EQUITY OR VESTED RIGHT AGAINST THE TRIBES. THE APPROPRIATOR IS HEREBY NOTIFIED THAT ANY FINANCIAL OUTLAY OR WORK INVESTED IN A PROJECT PURSUANT TO THIS RIGHT IS AT APPROPRIATOR'S RISK. THE ISSUANCE OF THIS RIGHT DOES NOT REDUCE THE APPROPRIATOR'S LIABILITY FOR DAMAGE CAUSED BY THE EXERCISE OF THE RIGHT. IT DOES NOT MAKE THE DEPARTMENT LIABLE FOR DAMAGE CAUSED BY THE EXERCISE OF THE RIGHT. NOR IS THE DEPARTMENT LIABLE FOR ANY LOSS TO THE APPROPRIATOR CAUSED BY THE EXERCISE OF SENIOR RESERVED WATER RIGHTS.

IMPORTANT INFORMATION

DIVERSION UNDER THIS PERMIT MAY NOT COMMENCE UNTIL THE MITIGATION PLAN DESCRIBED IN THIS DECISION IS LEGALLY IMPLEMENTED. DIVERSION UNDER THE PERMIT MUST STOP IF THE MITIGATION PLAN AS HEREIN REQUIRED IN AMOUNT, LOCATION AND DURATION CEASES IN WHOLE OR IN PART.

WATER MEASUREMENT-INLINE FLOW METER REQUIRED

THE APPROPRIATOR SHALL INSTALL A DEPARTMENT APPROVED IN-LINE FLOW METER AT A POINT IN THE DELIVERY LINE APPROVED BY THE DEPARTMENT. WATER MUST NOT BE DIVERTED UNTIL THE REQUIRED MEASURING DEVICE IS IN PLACE AND OPERATING. ON A FORM PROVIDED BY THE DEPARTMENT, THE APPROPRIATOR SHALL KEEP A WRITTEN MONTHLY RECORD OF THE FLOW RATE AND VOLUME OF ALL WATER DIVERTED, INCLUDING THE PERIOD OF TIME. RECORDS SHALL BE SUBMITTED BY NOVEMBER 30 OF EACH YEAR AND UPON REQUEST AT OTHER TIMES DURING THE YEAR. FAILURE TO SUBMIT REPORTS MAY BE CAUSE FOR REVOCATION OF A PERMIT OR CHANGE. THE RECORDS MUST BE SENT TO THE WATER RESOURCES REGIONAL OFFICE. THE APPROPRIATOR SHALL MAINTAIN THE MEASURING DEVICE SO IT ALWAYS OPERATES PROPERLY AND MEASURES FLOW RATE AND VOLUME ACCURATELY.