

STATE OF MONTANA  
DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION  
1424 9TH AVENUE P.O.BOX 201601 HELENA, MONTANA 59620-1601

# GENERAL ABSTRACT

**Water Right Number:** 76LJ 39710-00 STATEMENT OF CLAIM  
**Version:** 1 -- ORIGINAL RIGHT  
**Version Status:** ACTIVE

**Owners:**  
GARY W JOHNSON  
23126 YELLOW BAY LANE  
BIGFORK, MT 59911  
  
HEIDI A JOHNSON  
23126 YELLOW BAY LANE  
BIGFORK, MT 59911

**Priority Date:** MAY 2, 1930  
**Enforceable Priority Date:** MAY 2, 1930

**Type of Historical Right:** FILED

**Purpose (use):** DOMESTIC  
**Maximum Flow Rate:** 40.00 GPM  
**Maximum Volume:** 1.60 AC-FT

**Households:** 1  
**Maximum Acres:** 1.25  
**Source Name:** YELLOW BAY CREEK  
**Source Type:** SURFACE WATER

**Point of Diversion and Means of Diversion:**

<u>ID</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1		NENWNW	3	24N	19W	LAKE

**Period of Diversion:** JANUARY 1 TO DECEMBER 31  
**Diversion Means:** HEADGATE

**Period of Use:** JANUARY 1 to DECEMBER 31

**Place of Use:**

<u>ID</u>	<u>Acres</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1	1.25	4	S2NWNW	3	24N	19W	LAKE

**Subdivision:** YELLOW BAY ORCHARD TRACTS TRACT/LOT 13+14

**Total:** 1.25

**Geocodes/Valid:** 15-3469-03-1-02-01-0000 - Y 15-3469-03-1-02-02-0000 - Y

**Remarks:**

THE WATER RIGHTS LISTED FOLLOWING THIS STATEMENT ARE MULTIPLE USES OF THE SAME RIGHT. THE USE OF THIS RIGHT FOR SEVERAL PURPOSES DOES NOT INCREASE THE EXTENT OF THE WATER RIGHT. RATHER IT DECREES THE RIGHT TO ALTERNATE AND EXCHANGE THE USE (PURPOSE) OF THE WATER IN ACCORD WITH HISTORICAL PRACTICES.

39710-00 39711-00

STARTING IN 2008, PERIOD OF DIVERSION WAS ADDED TO MOST CLAIM ABSTRACTS, INCLUDING THIS ONE.

THIS WATER RIGHT IS LOCATED, IN WHOLE OR IN PART, WITHIN THE BOUNDARY OF THE FLATHEAD INDIAN RESERVATION.

NOTICE OF WATER RIGHT OWNERSHIP UPDATE RECEIVED 10/25/99.

**OWNERSHIP UPDATE RECEIVED**

OWNERSHIP UPDATE TYPE 608 # 29276 RECEIVED 01/18/2006.

THE CLAIMED FLOW RATE EXCEEDS THE 35 GPM GUIDELINE FOR THIS PURPOSE AND CANNOT BE CONFIRMED DUE TO LACK OF DATA.